

**Table S6: Progression rate of non-vaccine serotypes.**

Serotype	OM incidence per year per 1000 carriers ( $\log_{10}$ scale) (95% CrI)					
	Bedouin children			Jewish children		
	Before rollout <sup>1</sup>	After rollout <sup>1</sup>	Rate ratio <sup>1</sup>	Before rollout <sup>1</sup>	After rollout <sup>1</sup>	Rate ratio <sup>1</sup>
<b>Ages 0-11m</b>						
2	-0.57 (-1.34, 0.88)	-1.58 (-2.7, -0.05)	-1.04 (-2.81, 0.69)	-1.1 (-1.94, 0.35)	-1.78 (-3.37, -0.19)	-0.73 (-2.81, 1.11)
6C	-1.91 (-2.4, -1.41)	-3.06 (-4.54, -2.24)	-1.17 (-2.69, -0.18)	-1.8 (-2.63, -0.87)	-1.97 (-2.59, -1.4)	-0.18 (-1.29, 0.83)
6D	-2.57 (-4.05, -1.6)	-2.68 (-4.17, -1.76)	-0.12 (-1.87, 1.62)	-2.34 (-3.05, -1.74)	-2.12 (-3.04, -1.37)	0.22 (-0.87, 1.25)
7B	-1.64 (-2.39, -0.73)	-1.97 (-3.55, -0.35)	-0.34 (-2.13, 1.43)	-1.35 (-1.98, -0.47)	-2.12 (-3.04, -1.37)	-0.8 (-2.04, 0.22)
7C	-1.91 (-2.44, -1.36)	-2.34 (-3.87, -1.22)	-0.45 (-2.05, 0.81)	-2.01 (-2.99, -1.03)	-1.78 (-3.39, -0.21)	0.23 (-1.63, 2.08)
8	-2.37 (-3.89, -1.26)	-2.69 (-4.17, -1.76)	-0.33 (-2.14, 1.45)	-2 (-3.59, -0.41)	-1.78 (-3.36, -0.19)	0.22 (-2.02, 2.43)
9A	-1.74 (-2.14, -1.3)	-1.96 (-3.56, -0.36)	-0.23 (-1.89, 1.43)	-1.42 (-2.39, 0.05)	-1.79 (-3.38, -0.21)	-0.4 (-2.53, 1.48)
9L	-0.7 (-1.24, 0.14)	-2.1 (-2.86, -1.39)	-1.42 (-2.52, -0.5)	-0.46 (-1.21, 1)	-1.06 (-1.97, 0.4)	-0.62 (-2.28, 1.03)
9N	-2.56 (-4.05, -1.6)	-2.79 (-4.26, -1.9)	-0.23 (-1.95, 1.48)	-1.63 (-2.74, -0.11)	-1.52 (-2.07, -0.91)	0.1 (-1.49, 1.37)
10A	-1.98 (-2.75, -1.22)	-3.11 (-4.57, -2.28)	-1.15 (-2.75, 0.01)	-2.22 (-3.16, -1.41)	-2.69 (-4.16, -1.85)	-0.5 (-2.12, 0.79)
10B	-2.13 (-2.55, -1.73)	-3.23 (-4.68, -2.42)	-1.11 (-2.6, -0.18)	-1.44 (-2.4, 0.04)	-2.23 (-3.14, -1.53)	-0.83 (-2.51, 0.42)
10F	-1.54 (-2.24, -0.65)	-2.55 (-4.04, -1.56)	-1.05 (-2.73, 0.21)	-1.67 (-2.41, -0.75)	-1.78 (-2.44, -1.12)	-0.12 (-1.23, 0.87)
11	-1.98 (-3.56, -0.39)	-2.35 (-3.86, -1.22)	-0.39 (-2.52, 1.57)	-2.01 (-3.61, -0.43)	-1.78 (-3.36, -0.2)	0.23 (-1.98, 2.44)
11A	-1.35 (-1.59, -1.09)	-3.06 (-4.52, -2.23)	-1.72 (-3.2, -0.85)	-0.88 (-1.24, -0.42)	-1.68 (-2.28, -1.04)	-0.8 (-1.55, -0.06)
11D	-2.56 (-4.04, -1.6)	-1.96 (-3.56, -0.34)	0.64 (-1.26, 2.76)	-1.63 (-2.72, -0.12)	-1.78 (-3.36, -0.19)	-0.18 (-2.3, 1.78)
12A	-1.15 (-2.02, 0.32)	-1.96 (-2.96, -0.96)	-0.84 (-2.58, 0.51)	-1.81 (-2.63, -0.88)	-1.2 (-2.18, 0.3)	0.62 (-0.74, 2.3)
12F	-1.98 (-3.57, -0.39)	-1.96 (-2.75, -1.17)	0.02 (-1.75, 1.78)	-2.4 (-3.92, -1.29)	-1.98 (-2.92, -1.16)	0.42 (-1.04, 2.13)
13	-2.24 (-2.85, -1.71)	-2.72 (-3.62, -2.08)	-0.49 (-1.51, 0.4)	-1.92 (-2.46, -1.37)	-2.31 (-3.21, -1.64)	-0.4 (-1.43, 0.48)
15A	-1.48 (-1.76, -1.18)	-2.68 (-4.17, -1.76)	-1.21 (-2.71, -0.23)	-0.67 (-1.11, -0.03)	-1.78 (-2.76, -0.79)	-1.13 (-2.28, -0.03)
15B/C	-1.74 (-2.03, -1.43)	-2.68 (-4.18, -1.76)	-0.95 (-2.47, 0.02)	-1.68 (-2.02, -1.31)	-1.78 (-3.38, -0.18)	-0.11 (-1.74, 1.53)
15F	-2.12 (-2.86, -1.44)	-1.96 (-3.56, -0.34)	0.16 (-1.56, 1.93)	-2.01 (-3.61, -0.44)	-1.78 (-3.38, -0.17)	0.23 (-1.98, 2.46)
16F	-2.79 (-3.66, -2.19)	-3.29 (-4.75, -2.49)	-0.5 (-2.06, 0.68)	-2.37 (-3.29, -1.63)	-2.44 (-3.33, -1.8)	-0.09 (-1.22, 1.03)
17F	-1.49 (-1.75, -1.2)	-2.79 (-4.26, -1.9)	-1.31 (-2.8, -0.37)	-0.93 (-1.32, -0.41)	-2.16 (-3.68, -1.05)	-1.25 (-2.83, -0.05)
18A	-1.4 (-2.36, 0.06)	-3.01 (-4.46, -2.18)	-1.67 (-3.64, -0.32)	-2.01 (-3.59, -0.41)	-2.51 (-3.97, -1.6)	-0.53 (-2.64, 1.31)
18B	-1.63 (-2.73, -0.18)	-2.8 (-4.27, -1.9)	-1.22 (-3.19, 0.27)	-2 (-3.61, -0.41)	-1.78 (-3.38, -0.18)	0.22 (-2, 2.45)
19B	-2.71 (-4.16, -1.81)	-1.97 (-3.56, -0.38)	0.78 (-1.07, 2.88)	-2.05 (-3.63, -0.53)	-1.79 (-3.37, -0.19)	0.27 (-1.91, 2.48)
20	-2.08 (-2.71, -1.49)	-3.01 (-4.45, -2.17)	-0.94 (-2.47, 0.13)	-2.02 (-3.62, -0.45)	-2.31 (-3.2, -1.63)	-0.31 (-2.08, 1.44)
21	-1.98 (-2.5, -1.47)	-2.5 (-3.1, -2)	-0.52 (-1.3, 0.2)	-1.83 (-2.39, -1.22)	-2.03 (-2.76, -1.39)	-0.2 (-1.14, 0.65)
22A	-1.65 (-2.39, -0.76)	-1.96 (-3.55, -0.36)	-0.32 (-2.11, 1.44)	-1.63 (-2.74, -0.11)	-1.78 (-3.37, -0.18)	-0.18 (-2.33, 1.77)
22F	-1.43 (-1.84, -0.93)	-2.34 (-3.88, -1.21)	-0.93 (-2.52, 0.28)	-1.8 (-2.28, -1.27)	-1.79 (-3.39, -0.18)	0.01 (-1.67, 1.67)
23A	-2.75 (-3.62, -2.14)	-3.37 (-4.83, -2.58)	-0.63 (-2.18, 0.55)	-2.72 (-3.39, -2.21)	-2.88 (-4.34, -2.07)	-0.16 (-1.69, 0.89)
23B	-2.08 (-2.51, -1.67)	-2.81 (-3.69, -2.18)	-0.73 (-1.69, 0.04)	-1.68 (-2.42, -0.79)	-2.88 (-4.34, -2.07)	-1.24 (-2.88, -0.08)
24A	-1.26 (-2.17, 0.21)	-2.34 (-3.87, -1.22)	-1.14 (-3.17, 0.37)	-2 (-3.6, -0.4)	-1.78 (-3.38, -0.18)	0.22 (-2.01, 2.45)
24B	-1.99 (-3.57, -0.42)	-2.35 (-3.86, -1.22)	-0.38 (-2.51, 1.57)	-2.4 (-3.89, -1.31)	-1.78 (-3.37, -0.19)	0.65 (-1.3, 2.77)
24F	-2.32 (-3.24, -1.59)	-2.35 (-3.87, -1.22)	-0.02 (-1.69, 1.42)	-1.63 (-2.74, -0.11)	-2.37 (-3.85, -1.39)	-0.79 (-2.84, 0.75)
27	-1.6 (-2.71, -0.09)	-1.96 (-3.56, -0.35)	-0.39 (-2.52, 1.57)	-2.01 (-3.6, -0.42)	-1.78 (-3.36, -0.19)	0.23 (-1.98, 2.43)
28F	-1.88 (-2.47, -1.25)	-2.55 (-4.05, -1.56)	-0.69 (-2.27, 0.48)	-1.62 (-2.74, -0.11)	-1.98 (-2.92, -1.16)	-0.38 (-2.12, 1.02)
28A	-1.6 (-2.71, -0.08)	-1.96 (-3.58, -0.36)	-0.39 (-2.56, 1.58)	-2 (-3.6, -0.4)	-1.78 (-3.36, -0.18)	0.22 (-2, 2.45)
29	-2.37 (-3.86, -1.25)	-1.96 (-3.56, -0.36)	0.43 (-1.52, 2.57)	-2.39 (-3.89, -1.28)	-1.78 (-3.37, -0.18)	0.63 (-1.31, 2.78)
31	-2.56 (-4.04, -1.6)	-3.18 (-4.66, -2.38)	-0.63 (-2.35, 1.04)	-1.19 (-2.05, 0.26)	-2.2 (-2.8, -1.7)	-1.04 (-2.57, -0.01)
33A	-2.12 (-2.85, -1.44)	-2.41 (-3.33, -1.68)	-0.29 (-1.42, 0.74)	-1.45 (-2.41, 0.01)	-1.2 (-2.17, 0.3)	0.25 (-1.47, 2.01)
33B	-1.58 (-2.16, -0.88)	-2.35 (-3.86, -1.22)	-0.78 (-2.41, 0.5)	-1.18 (-2.04, 0.3)	-1.4 (-2.52, 0.11)	-0.23 (-2.03, 1.51)
33F	-2.13 (-2.86, -1.46)	-2.55 (-4.04, -1.56)	-0.43 (-2.03, 0.82)	-2.01 (-2.78, -1.25)	-1.98 (-2.92, -1.15)	0.02 (-1.17, 1.15)
34	-1.44 (-1.97, -0.77)	-3.23 (-4.69, -2.42)	-1.82 (-3.38, -0.82)	-1.1 (-1.94, 0.36)	-2.38 (-3.07, -1.85)	-1.32 (-2.89, -0.27)

35A	-1.26 (-2.16, 0.21)	-2.69 (-4.18, -1.76)	-1.5 (-3.51, -0.11)	-1.63 (-2.74, -0.13)	-2.37 (-3.85, -1.39)	-0.8 (-2.82, 0.74)
35B	-1.35 (-1.6, -1.07)	-2.56 (-3.27, -2.01)	-1.22 (-1.97, -0.61)	-0.93 (-1.33, -0.4)	-1.58 (-2.41, -0.63)	-0.65 (-1.63, 0.38)
35C	-1.65 (-2.39, -0.74)	-2.34 (-3.87, -1.22)	-0.73 (-2.46, 0.65)	-2.03 (-3.63, -0.49)	-1.78 (-3.38, -0.2)	0.25 (-1.92, 2.47)
35F	-1.47 (-1.85, -1.02)	-2.35 (-3.87, -1.22)	-0.9 (-2.46, 0.31)	-1.17 (-1.76, -0.31)	-2.16 (-3.68, -1.05)	-1.03 (-2.72, 0.27)
37	-1.42 (-1.95, -0.74)	-1.96 (-3.55, -0.36)	-0.56 (-2.26, 1.13)	-1.03 (-1.85, 0.42)	-1.78 (-3.38, -0.19)	-0.81 (-2.89, 1.01)
38	-2.64 (-3.53, -2.01)	-2.49 (-3.41, -1.79)	0.15 (-0.95, 1.27)	-2.45 (-3.36, -1.76)	-2.17 (-3.68, -1.05)	0.29 (-1.37, 1.71)
46	-1.6 (-2.71, -0.1)	-1.96 (-3.56, -0.36)	-0.39 (-2.52, 1.57)	-2.01 (-3.59, -0.43)	-1.78 (-3.38, -0.21)	0.22 (-1.98, 2.44)

#### Ages 12-35m

2	-1.26 (-1.89, -0.39)	-2.08 (-3.67, -0.5)	2.67 (-2.64, 0.86)	-1.13 (-1.94, 0.34)	-1.96 (-3.53, -0.35)	2.45 (-2.96, 0.97)
6C	-2.94 (-3.79, -2.37)	-3.13 (-4.57, -2.3)	-1.45 (-1.72, 1)	-1.58 (-2.55, -0.11)	-2.52 (-3.2, -1.98)	-2.39 (-2.55, 0.19)
6D	-2.32 (-3.01, -1.74)	-2.67 (-4.17, -1.69)	1.7 (-1.95, 0.85)	-2.16 (-3.16, -1.19)	-2.38 (-2.96, -1.88)	0.49 (-1.35, 0.88)
7B	-2.16 (-2.88, -1.53)	-2.47 (-3.99, -1.35)	-0.91 (-1.95, 1.02)	-1.96 (-2.78, -1.02)	-2.3 (-3.22, -1.55)	0.21 (-1.63, 0.78)
7C	-2.12 (-3.05, -1.3)	-2.09 (-3.69, -0.48)	-2.64 (-1.75, 1.88)	-2.17 (-3.15, -1.18)	-1.95 (-3.55, -0.37)	-2 (-1.64, 2.05)
8	-2.64 (-4.11, -1.73)	-2.53 (-3.44, -1.81)	0.46 (-1.16, 1.73)	-1.78 (-2.9, -0.29)	-2.34 (-3.86, -1.23)	2.43 (-2.66, 1.01)
9A	-2.31 (-3.01, -1.74)	-2.47 (-3.99, -1.35)	0.71 (-1.76, 1.16)	-2.17 (-2.94, -1.4)	-1.97 (-3.54, -0.36)	1.17 (-1.54, 1.96)
9L	-2.11 (-2.72, -1.55)	-2.08 (-3.07, -1.09)	-1.13 (-1.11, 1.19)	-0.81 (-1.59, 0.65)	-1.37 (-2.35, 0.12)	-0.65 (-2.28, 1.1)
9N	-2.66 (-3.32, -2.16)	-1.7 (-2.81, -0.17)	2.8 (-0.27, 2.61)	-1.78 (-2.9, -0.29)	-2.23 (-2.76, -1.75)	3.27 (-2.02, 0.77)
10A	-2.75 (-4.23, -1.89)	-2.81 (-4.29, -1.89)	-0.06 (-1.76, 1.66)	-2.49 (-3.2, -1.89)	-2.33 (-2.93, -1.83)	0.16 (-0.68, 1.02)
10B	-2.02 (-2.65, -1.43)	-2.54 (-3.25, -1.97)	-1.76 (-1.44, 0.33)	-1.96 (-2.78, -1.03)	-2.68 (-4.16, -1.77)	-0.68 (-2.44, 0.52)
10F	-2.44 (-3.34, -1.78)	-3.07 (-4.53, -2.24)	1.66 (-2.22, 0.61)	-1.78 (-2.89, -0.27)	-1.56 (-2.14, -0.86)	1.02 (-1.38, 1.53)
11	-2.3 (-3.82, -1.2)	-2.08 (-3.67, -0.48)	-0.52 (-1.7, 2.39)	-2.17 (-3.76, -0.58)	-1.96 (-3.55, -0.36)	-0.75 (-2.02, 2.43)
11A	-2.42 (-2.63, -2.23)	-2.74 (-3.63, -2.1)	-1.44 (-1.23, 0.35)	-1.61 (-1.82, -1.37)	-1.85 (-2.45, -1.22)	-2.44 (-0.89, 0.42)
11D	-2.64 (-4.11, -1.74)	-2.09 (-3.69, -0.5)	0.33 (-1.26, 2.67)	-2.16 (-3.76, -0.58)	-1.96 (-3.57, -0.36)	0.52 (-2.01, 2.45)
12A	-2.3 (-3.81, -1.19)	-1.7 (-2.82, -0.18)	-0.63 (-0.98, 2.7)	-2.17 (-3.76, -0.58)	-1.96 (-3.57, -0.37)	0.22 (-2.02, 2.43)
12F	-1.92 (-2.9, -0.93)	-3.07 (-4.53, -2.23)	-2.22 (-2.89, 0.16)	-2.17 (-3.75, -0.59)	-2.28 (-2.99, -1.68)	-1.38 (-1.83, 1.57)
13	-2.1 (-2.59, -1.65)	-3.13 (-4.6, -2.31)	0.61 (-2.54, -0.06)	-2.1 (-2.59, -1.59)	-2.47 (-3.16, -1.92)	1.53 (-1.23, 0.37)
15A	-2.28 (-2.51, -2.06)	-2.61 (-3.51, -1.94)	0.25 (-1.25, 0.38)	-1.51 (-1.73, -1.27)	-2.87 (-4.33, -2.02)	0.21 (-2.84, -0.48)
15B/C	-2.52 (-2.76, -2.3)	-2.67 (-4.18, -1.7)	-1.7 (-1.66, 0.86)	-1.98 (-2.21, -1.75)	-1.96 (-3.55, -0.36)	-2.02 (-1.58, 1.65)
15F	-2.9 (-4.35, -2.08)	-2.09 (-3.67, -0.48)	2.39 (-0.98, 2.95)	-2.16 (-3.74, -0.57)	-1.96 (-3.56, -0.36)	2.43 (-2.01, 2.42)
16F	-3.41 (-4.25, -2.87)	-3.58 (-5.03, -2.81)	-0.32 (-1.7, 0.96)	-2.83 (-3.7, -2.2)	-2.8 (-3.36, -2.38)	-0.25 (-0.82, 0.99)
17F	-2.33 (-2.55, -2.12)	-2.42 (-3.33, -1.67)	-1.23 (-1.03, 0.7)	-1.85 (-2.09, -1.6)	-1.96 (-3.55, -0.38)	-0.89 (-1.73, 1.49)
18A	-2.3 (-3.82, -1.19)	-2.29 (-3.23, -1.46)	0.35 (-1.45, 1.7)	-1.78 (-2.88, -0.26)	-2.52 (-3.2, -1.98)	0.42 (-2.39, 0.49)
18B	-1.92 (-2.91, -0.94)	-2.81 (-4.28, -1.89)	0.6 (-2.64, 0.46)	-2.17 (-3.76, -0.58)	-1.96 (-3.53, -0.36)	0.21 (-2, 2.43)
19B	-2.75 (-4.21, -1.88)	-2.08 (-3.67, -0.49)	-1.26 (-1.13, 2.8)	-3.08 (-4.55, -2.24)	-1.96 (-3.54, -0.36)	-2.01 (-0.65, 3.27)
20	-2.75 (-4.21, -1.88)	-2.96 (-3.83, -2.36)	0.65 (-1.44, 1.34)	-2.55 (-4.07, -1.44)	-1.96 (-2.94, -0.97)	0.21 (-0.88, 2.38)
21	-2.35 (-2.86, -1.92)	-2.43 (-2.87, -2.03)	-0.98 (-0.69, 0.56)	-1.93 (-2.55, -1.2)	-2.28 (-2.8, -1.81)	-2.02 (-1.24, 0.44)
22A	-2.5 (-3.99, -1.54)	-2.09 (-3.67, -0.48)	2.7 (-1.43, 2.58)	-2.75 (-4.24, -1.78)	-1.96 (-3.55, -0.35)	2.43 (-1.05, 2.95)
22F	-2.16 (-2.6, -1.76)	-2.46 (-3.99, -1.34)	-1.18 (-1.87, 0.9)	-1.83 (-2.57, -0.91)	-1.96 (-3.55, -0.36)	-0.13 (-1.94, 1.62)
23A	-3.17 (-3.81, -2.72)	-3.13 (-3.99, -2.55)	-2.89 (-0.92, 0.91)	-3.52 (-4.97, -2.75)	-3.45 (-4.9, -2.69)	-1.83 (-1.55, 1.69)
23B	-2.76 (-3.43, -2.28)	-3.31 (-4.76, -2.52)	0.16 (-2.07, 0.49)	-2.17 (-3.15, -1.19)	-2.87 (-3.73, -2.28)	1.57 (-1.99, 0.44)
24A	-1.54 (-2.64, -0.02)	-2.46 (-3.99, -1.35)	-1.03 (-3.05, 0.65)	-2.17 (-3.76, -0.58)	-1.96 (-3.55, -0.37)	-0.38 (-2.02, 2.42)
24B	-2.5 (-4.01, -1.53)	-2.29 (-3.23, -1.46)	-2.54 (-1.14, 1.91)	-2.55 (-4.06, -1.44)	-1.58 (-2.7, -0.07)	-1.23 (-0.6, 3.08)
24F	-2.83 (-4.28, -1.99)	-2.47 (-3.97, -1.35)	-0.06 (-1.36, 2.17)	-1.79 (-2.9, -0.28)	-2.49 (-3.37, -1.81)	0.37 (-2.43, 0.61)
27	-2.3 (-3.83, -1.19)	-2.08 (-3.69, -0.48)	-0.33 (-1.71, 2.4)	-2.55 (-4.08, -1.45)	-1.96 (-3.54, -0.35)	-1.37 (-1.33, 2.78)
28F	-2.5 (-4, -1.53)	-2.08 (-3.07, -1.1)	-1.25 (-0.97, 2.19)	-1.44 (-2.34, 0.04)	-2.4 (-3.31, -1.7)	-2.84 (-2.68, 0.21)
28A	-2.3 (-3.81, -1.19)	-2.08 (-3.67, -0.5)	0.38 (-1.71, 2.38)	-2.17 (-3.75, -0.57)	-1.96 (-3.56, -0.37)	-0.48 (-2.02, 2.41)
29	-1.92 (-3.52, -0.33)	-2.09 (-3.67, -0.5)	-0.15 (-2.41, 2.06)	-1.58 (-2.55, -0.1)	-1.96 (-3.56, -0.36)	0.02 (-2.53, 1.47)
31	-2.38 (-3.06, -1.82)	-2.79 (-3.47, -2.27)	-1.66 (-1.29, 0.45)	-2.89 (-4.36, -1.98)	-2.6 (-3.28, -2.08)	-1.58 (-0.84, 1.84)
33A	-2.12 (-3.06, -1.3)	-2.48 (-3.18, -1.89)	0.86 (-1.44, 0.75)	-2.17 (-3.75, -0.56)	-2.34 (-3.85, -1.23)	1.65 (-2.34, 1.73)

33B	-2.26 (-3.17, -1.52)	-2.08 (-3.69, -0.49)	0.86 (-1.57, 1.99)	-1.72 (-2.42, -0.82)	-2.34 (-3.86, -1.22)	0.21 (-2.37, 0.71)
33F	-2.12 (-3.06, -1.3)	-2.46 (-4, -1.35)	-0.98 (-2.06, 1.11)	-2.75 (-4.24, -1.79)	-2.2 (-2.92, -1.57)	-2.01 (-0.66, 2.14)
34	-2.31 (-3.01, -1.74)	-2.54 (-3.24, -1.97)	2.95 (-1.13, 0.68)	-1.51 (-2.14, -0.62)	-2.42 (-2.93, -1.99)	2.42 (-1.93, -0.14)
35A	-1.33 (-2.29, 0.16)	-2.47 (-3.99, -1.35)	-0.17 (-3.24, 0.36)	-2.16 (-3.75, -0.57)	-1.62 (-2.37, -0.71)	0.02 (-1.2, 2.36)
35B	-2.26 (-2.45, -2.08)	-2.35 (-2.9, -1.87)	-1.7 (-0.66, 0.43)	-1.41 (-1.72, -1.04)	-1.72 (-2.35, -1)	-0.82 (-1.04, 0.48)
35C	-2.64 (-4.12, -1.74)	-2.47 (-3.97, -1.35)	0.96 (-1.57, 2)	-2.16 (-3.75, -0.56)	-1.96 (-3.54, -0.37)	0.99 (-2.02, 2.42)
35F	-2.24 (-2.83, -1.73)	-2.08 (-3.69, -0.5)	-0.09 (-1.54, 1.85)	-1.53 (-2.04, -0.86)	-1.95 (-3.54, -0.36)	-0.11 (-2.14, 1.23)
37	-1.6 (-2.11, -1)	-2.08 (-3.68, -0.48)	-1.03 (-2.18, 1.19)	-1.34 (-2.2, 0.11)	-1.96 (-3.56, -0.37)	-1.73 (-2.76, 1.17)
38	-2.52 (-3.19, -2)	-2.61 (-3.51, -1.94)	0.7 (-1.14, 0.86)	-2.17 (-3.15, -1.18)	-1.96 (-2.94, -0.98)	1.49 (-1.17, 1.6)
46	-2.5 (-4, -1.53)	-2.09 (-3.69, -0.49)	0.02 (-1.45, 2.58)	-2.17 (-3.77, -0.58)	-1.96 (-3.56, -0.37)	-0.76 (-2.02, 2.43)