

**Supplementary Table 1.** Proportional change in past-month smoking prevalence from 2002-2003 to 2018-2019 and differences between risk groups.

	% Change	$\beta$ (95% CI)	t	<i>p</i> value
<b>Cumulative Risk Index</b>				
Low (0-2)	-85.1%	-.11(-.12- -.10)	-18.93	<.001
Moderate (3-4)	-79.2%	-.09 (-.10- -.08)	-25.43	<.001
High (5+)	-65.7%	-.08 (-.08- -.07)	-26.41	<.001
<b>Comparisons</b>				
Low vs moderate	-	.02 (.00-.03)	2.47	.014
Low vs high	-	.02 (.01-.02)	5.46	<.001
Moderate vs high	-	.02 (.01-.03)	3.88	<.001

**Supplementary Table 2.** Proportional change in daily smoking prevalence from 2002-2003 to 2018-2019 and differences between risk groups.

	% Change	$\beta$ (95% CI)	t	<i>p</i> value
<b>Cumulative Risk Index</b>				
Low (0-2)	-96.5%	-.13 (-.16- -.10)	-7.66	<.001
Moderate (3-4)	-90.5%	-.09 (-.11- -.08)	-12.39	<.001
High (5+)	-86.4%	-.09 (-.10- -.08)	-20.78	<.001
<b>Comparisons</b>				
Low vs moderate	-	.04 (.00-.08)	2.15	.032
Low vs high	-	.02 (.01-.04)	2.54	.011
Moderate vs high	-	.01 (-.01-.02)	0.57	.570

**Supplementary Figure 1.** Past-month smoking and daily smoking percent prevalence over time by cumulative risk group using a five-group categorization.

